



Web Wire Mesh Co.,Ltd.

Wedge Wire Screen



Wedge Wire Tube

Wedge Wire Screen

Wedge Wire Tube


Wedge Wire Tube

Slot Size (S)
The distance between each profile wire.


Profile Wire
Triangle wire is common type.

Support Rod
Triangle wire is common type. It can also be round rod.

Support Rod Distance (P)
The distance between each support rod.



Wire Type



Triangle Wire



Round Rod



Flat Bar



Wedge Wire

Ending Type

Screw Thread
Easy to operate

Male-Female Thread
The prototypical "male" component is a threaded bolt. Correspondingly, a threaded nut, an alignment hole, is considered to be "female".



Screw Thread







Male-Female Thread

Wedge Wire Tube Pipe Size & Slot Size

Pipe Size DN(mm)	Slot Size S(mm)	Pipe Size DN(mm)	Slot Size S(mm)	Pipe Size DN(mm)	Slot Size S(mm)
25, 28	0.05-0.5	100, 108	0.05-2.0	600	0.05-6.0
32, 38, 40	0.05-0.8	120, 133	0.05-2.5	700	0.05-7.0
42, 45, 48	0.05-0.8	159, 196, 219	0.05-2.5	800	0.05-8.0
50, 53	0.05-1.0	240, 243, 273	0.05-2.5	900	0.05-9.0
60, 65	0.05-1.2	325, 400, 450	0.05-2.5	1000, 1100, 1200	0.05-10.0
70, 76, 89	0.05-1.5	500	0.05-5.0	1300, 1400, 1500	0.05-10.0

Wedge Wire Tube Slot Size & Wire Type

Slot Size S (mm)	Profile Wire (mm)	Support Rod (mm)			
	Triangle Wire A1xH1	Pipe Size DN25-1500mm		Pipe Size DN219-1500mm	
		Triangle Wire A2xH2	Round Rod D	Flat Bar A3xH3	Wedge Wire A4xH4
					
0.05-0.15	0.5*1, 1*2	***	***	***	
0.2-0.25	0.5*1, 1*2	2, 3	***	***	
0.3	1.5*4, 2.2*3.5, 2.2*4.5, 2.8*5	2, 3	***	***	
0.4	2.2*3.5, 2.2*4.5, 2.8*5.0, 3.1*6, 2.8*6.5, 3.4*7.5	3, 4, 5, 6, 7	***	***	
0.5-0.7	2.2*3.5, 2.2*4.5, 2.8*5.0, 3.1*6, 2.8*6.5, 3.4*7.5	3, 4, 5, 6, 7	2*25, 3*25, 4*25	3*5, 4*6, 4*7.5	
0.8-10.0	1.5*4, 1.8*3.0, 2.2*3.5, 2.2*4.5, 2.2*5, 2.3*3.8, 2.6*4.3, 2.7*4.2, 2.8*5, 2.8*6.5, 2.8*8, 2.8*10, 2.9*4.7, 3.1*6, 3.2*5.5, 3.4*7.5, 3.5*5.7, 5.0*7, 5*10, 6.8*9.4, 8.5*11.5	4, 5, 6, 7, 8	2*25, 3*25, 4*25	3*5, 4*6, 4*7.5	

Wedge Wire Screen
Wedge Wire Tube



Factory in AP

Head

Web Wire Mesh CO.,Ltd.

NO 12 The East Zone Development Industry
Hebei, China

Tel: +86 0318 7568801

Fax: +86 0318 7568802

E-mail: zhao@webwirecloth.com

Internet: www.webwirecloth.com

Branch

Web Wire Mesh CO.,Ltd.---SJZ Branch

NO 2701 CYC Shijiazhuang City
Hebei, China

Tel: +86 0311 89255081

Fax: +86 0311 89255081

E-mail: zhao@webwirecloth.com

Internet: www.webwirecloth.com