




WIRE MESH
WEB WIRE MESH CO.,LTD

Knitted Wire Mesh




**Standard Type &
High Efficient &
High Penetrated &
Absorbed Type**


Standard & High Efficient High Penetrated & Absorbed

Standard Type

Knit one strand or filament material into a tubular form, and then flattened into continuous lengths which are rolled up for packaging.



High Efficient




Knitted form, high filtration efficiency, porosity

High Penetrated

Knitted form, large opening area, higher filtration efficiency, good penetrability



Absorbed Type



The yarn in knitted mesh follows a meandering path, forming symmetric loops symmetrically above and below the mean path of the wire, these meandering loops can be easily stretched in different directions giving knit mesh much more elasticity.

Knitted Wire Mesh

Standard Type

Model	Wire	Mesh Width (mm)						Mesh Length
	mm	SS	CS	Cu	Al	Ni	PP	m
40-100	0.10-0.30	10-1600	50-500	100-500	100-500	10-1600	100-600	10-100
60-150	0.10-0.30	10-1600	50-500	100-500	100-500	10-1600	100-600	10-100
60-180	0.10-0.30	10-1600	50-500	100-500	100-500	10-1600	100-600	10-100
105-300	0.10-0.30	10-1600	50-500	100-500	100-500	10-1600	100-600	10-100
140-400	0.10-0.30	10-1600	50-500	100-500	100-500	10-1600	100-600	10-100
160-400	0.10-0.30	10-1600	50-500	100-500	100-500	10-1600	100-600	10-100

Knitted Wire Mesh

High Efficient

Model	Wire	Mesh Width (mm)						Mesh Length
	mm	SS	CS	Cu	Al	Ni	PP	m
60-100	0.10-0.30	10-1600	50-500	100-500	100-500	10-1600	100-600	10-100
70-100	0.10-0.30	10-1600	50-500	100-500	100-500	10-1600	100-600	10-100
80-100	0.10-0.30	10-1600	50-500	100-500	100-500	10-1600	100-600	10-100
80-150	0.10-0.30	10-1600	50-500	100-500	100-500	10-1600	100-600	10-100
90-100	0.10-0.30	10-1600	50-500	100-500	100-500	10-1600	100-600	10-100
90-150	0.10-0.30	10-1600	50-500	100-500	100-500	10-1600	100-600	10-100
150-300	0.10-0.30	10-1600	50-500	100-500	100-500	10-1600	100-600	10-100
200-400	0.10-0.30	10-1600	50-500	100-500	100-500	10-1600	100-600	10-100
300-600	0.10-0.30	10-1600	50-500	100-500	100-500	10-1600	100-600	10-100

Knitted Wire Mesh High Penetrated

Model	Wire	Mesh Width (mm)					Mesh Length	
	mm	SS	CS	Cu	Al	Ni	PP	m
20-100	0.10-0.30	10-1600	50-500	100-500	100-500	10-1600	100-600	10-100
20-160	0.10-0.30	10-1600	50-500	100-500	100-500	10-1600	100-600	10-100
30-150	0.10-0.30	10-1600	50-500	100-500	100-500	10-1600	100-600	10-100
70-400	0.10-0.30	10-1600	50-500	100-500	100-500	10-1600	100-600	10-100
170-600	0.10-0.30	10-1600	50-500	100-500	100-500	10-1600	100-600	10-100
180-700	0.10-0.30	10-1600	50-500	100-500	100-500	10-1600	100-600	10-100

Knitted Wire Mesh Absorbed Type

Model	Wire	Mesh Width (mm)		Mesh Length
	mm	SS	Ni	m
20-40	0.10-0.20	10-120	10-120	10-100
30-40	0.10-0.20	10-120	10-120	10-100
30-50	0.10-0.20	10-120	10-120	10-100
30-60	0.10-0.20	10-120	10-120	10-100
30-80	0.10-0.20	10-120	10-120	10-100
50-120	0.10-0.20	10-120	10-120	10-100

Standard & High Efficient
High Penetrated & Absorbed



Factory in AP

Head

Web Wire Mesh CO.,Ltd.

NO 12 The East Zone Development Industry
Hebei, China

Tel: +86 0318 7568801

Fax: +86 0318 7568802

E-mail: zhao@webwirecloth.com

Internet: www.webwirecloth.com

Branch

Web Wire Mesh CO.,Ltd.---SJZ Branch

NO 2701 CYC Shijiazhuang City

Hebei, China

Tel: +86 0311 89255081

Fax: +86 0311 89255081

E-mail: zhao@webwirecloth.com

Internet: www.webwirecloth.com