





WIRE MESH
WEB WIRE MESH CO.,LTD

Perforated Metal Mesh



Slot Hole & Slot Hole Round Ends

Perforated Metal Mesh


Slot Hole & Slot Hole Round Ends

Slot hole Z staggered


Open Area (OA)

Open area is the total area of the holes divided by the total area of the sheets and is expressed as a percent

$$OA (\%) = \frac{LW \times 100}{Z1 \times Z2}$$



Slot hole 90° straight



Hole size (C,L)

Stands for opening size


Pitch (Z1, Z2)

Stands for center to center distance


Slot hole round ends Z staggered

Open Area (OA)

$$OA (\%) = \frac{(LW - 0.215W^2) \times 100}{Z1 \times Z2}$$



Slot hole round ends 90° straight



Hole size (R,L)

Stands for opening size

Pitch (Z1, Z2)

Stands for center to center distance

Perforated Metal Mesh Slot Hole Z staggered & 90° straight

Hole Size CxL(mm)	Pitch Z1xZ2(mm)	Open Area		Weight (Kg/m ²)									
		%	T=0.8	T=1.0	T=1.2	T=1.5	T=2.0	T=2.5	T=3.0	T=4.0	T=5.0	T=6.0	
2x20	5x25	32.0	4.27	5.34	6.41	8.01	10.7	***	***	***	***	***	
3x25	6x32	39.1	3.83	4.78	5.74	7.18	***	***	***	***	***	***	
	12x28	22.3	4.88	6.10	7.32	9.15	***	***	***	***	***	***	
4x20	8x25	40.0	3.77	4.71	5.65	7.07	9.42	***	***	***	***	***	
5x20	8x25	50.0	3.14	3.93	4.71	5.89	7.85	9.81	11.78	***	***	***	
6x25	11x32	42.6	3.60	4.50	5.41	6.76	9.01	11.3	13.5	***	***	***	
6x40	12x50	40.0	3.77	4.71	5.65	7.07	9.42	11.8	14.1	18.8	***	***	
8x25	12x32	52.1	3.01	3.76	4.51	5.64	7.52	9.40	11.3	***	***	***	
8x40	14x50	45.7	3.41	4.26	5.11	6.39	8.52	10.7	12.8	17.5	***	***	
10x32	16x40	50.0	***	3.93	4.71	5.89	7.85	9.81	11.8	15.7	***	***	
10x50	18x63	44.1	***	4.39	5.27	6.58	8.78	11.0	13.2	17.6	21.9	26.3	

Perforated Metal Mesh Slot Hole Round Ends Z staggered

Hole Size RxL(mm)	Pitch Z1xZ2(mm)	Open Area		Weight (Kg/m ²)						
		%	T=0.8	T=1.0	T=1.2	T=1.5	T=2.0	T=2.5	T=3.0	T=4.0
2x12.5	4x18	33.5	4.17	5.22	6.26	***	***	***	***	***
	5x18	26.8	4.60	5.74	6.89	***	***	***	***	***
2x20	5x25	31.3	4.31	5.39	6.47	8.09	10.78	***	***	***
	6x28	23.3	4.82	6.02	7.23	9.03	12.04	15.05	***	***
3x16	6x20	38.4	3.87	4.84	5.80	7.25	9.67	***	***	***
	7x22	29.9	4.40	5.50	6.60	8.25	11.00	13.75	16.51	***
3x20	6x25	38.7	3.85	4.81	5.77	7.22	9.62	***	***	***
3x25	6x28	43.5	3.55	4.44	5.32	6.65	8.87	***	***	***
	6x32	38.1	3.89	4.86	5.84	7.29	9.73	***	***	***
	8x32	28.5	4.49	5.61	6.73	8.41	11.22	14.02	16.83	***
	12x28	21.7	4.91	6.14	7.37	9.21	12.29	15.36	18.43	***
4x20	7x25	43.7	***	4.42	5.30	6.62	8.83	***	***	***
	8x25	38.3	***	4.85	5.81	7.27	9.69	12.11	14.54	***
	9x28	30.4	***	5.47	6.56	8.20	10.93	13.66	16.40	21.86
4x32	9x40	34.6	***	5.13	6.16	7.70	10.27	12.83	15.40	20.54
5x20	8x25	47.3	***	4.14	4.96	6.20	8.27	10.34	***	***
	9x25	42.1	***	4.55	5.46	6.82	9.10	11.37	13.65	***
	10x28	33.8	***	5.20	6.24	7.80	10.39	12.99	15.59	20.79

Perforated Metal Mesh Slot Hole Round Ends Z staggered

Hole Size RxL(mm)	Pitch Z1xZ2(mm)	Open Area		Weight (Kg/m ²)							
		%	T=1.0	T=1.2	T=1.5	T=2.0	T=2.5	T=3.0	T=4.0	T=5.0	T=6.0
6x20	12x25	37.4	4.91	5.90	7.37	9.83	12.28	14.74	***	***	***
	11x32	40.4	4.68	5.61	7.02	9.35	11.69	14.03	***	***	***
6x25	12x36	32.9	5.26	6.32	7.90	10.53	13.16	15.79	21.06	***	***
	14x36	28.2	5.63	6.76	8.45	11.27	14.09	16.90	22.54	28.17	33.81
6x40	12x50	38.7	4.81	5.77	7.22	9.62	12.03	14.43	19.25	***	***
8x20	14x35	29.8	5.51	6.61	8.26	11.01	13.77	16.52	***	***	***
8x25	12x32	48.5	4.04	4.85	6.06	8.09	10.11	12.13	***	***	***
	16x36	32.3	5.31	6.37	7.97	10.62	13.28	15.94	21.25	26.56	31.87
8x40	14x50	43.7	4.42	5.30	6.62	8.83	11.04	13.25	17.66	***	***
	16x50	38.28	4.85	5.81	7.27	9.69	12.11	14.54	19.38	24.23	29.07
10x32	16x40	46.6	4.19	5.03	6.28	8.38	10.47	12.57	16.75	***	***
	20x45	33.2	5.25	6.30	7.87	10.49	13.12	15.74	20.99	26.23	31.48
10x50	18x63	42.2	4.54	5.45	6.81	9.08	11.34	13.61	18.15	22.69	27.23

Perforated Metal Mesh Slot Hole Round Ends 90° straight

Hole Size RxL(mm)	Pitch Z1xZ2(mm)	Open Area %	Weight (Kg/m ²)									
			T=0.8	T=1.0	T=1.2	T=1.5	T=2.0	T=2.5	T=3.0	T=4.0	T=5.0	T=6.0
3x16	7x22	29.9	4.40	5.50	6.60	8.25	11.00	13.75	16.51	***	***	***
3x25	5x35	41.8	3.66	4.57	5.49	6.86	9.15	***	***	***	***	***
	8x32	28.5	4.49	5.61	6.73	8.41	11.22	14.02	16.83	***	***	***
4x20	9x28	30.4	***	5.47	6.56	8.20	10.93	13.66	16.40	21.86	***	***
4x32	9x40	34.6	***	5.13	6.16	7.70	10.27	12.83	15.40	20.54	***	***
5x20	10x28	33.8	***	5.20	6.24	7.80	10.39	12.99	15.59	20.79	***	***
8x40	16x50	38.28	***	4.85	5.81	7.27	9.69	12.11	14.54	19.38	24.23	29.07
10x50	18x63	42.2	***	4.54	5.45	6.81	9.08	11.34	13.61	18.15	22.69	27.23

Perforated Metal Mesh Slot Hole & Slot Hole Round Ends



Factory in AP

Head

Web Wire Mesh CO.,Ltd.

NO 12 The East Zone Development Industry
Hebei, China

Tel: +86 0318 7568801

Fax: +86 0318 7568802

E-mail: zhao@webwirecloth.com

Internet: www.webwirecloth.com

Branch

Web Wire Mesh CO.,Ltd.---SJZ Branch

NO 2701 CYC Shijiazhuang City
Hebei, China

Tel: +86 0311 89255081

Fax: +86 0311 89255081

E-mail: zhao@webwirecloth.com

Internet: www.webwirecloth.com